



AUTHORIZATION TO SHIP

Customer B. De Vries + Sene Order # CE 060807-003

Machine Info:

Job#: VL9489-2

Payment Terms: Cash In Advance

Model: XXT372

Financing

Serial #: 07-263

Part #: XXT37.42-V02

Due Date: 7/10/07

FINAL AUTHORIZATION TO SHIP

SERVICE/TEST _____ DATE _____

FINAL PICTURES _____

PROD CONTROL _____ DATE _____

LOCATION _____

QUALITY CNTRL _____ DATE _____ TIME _____

CREDIT _____ DATE _____

DATE SHIPPED _____ BY _____

JOB NUMBER: VL9489.002**BUILD ORDER**

SALE	CONSIGNMENT	DEMO	RENTAL	ORIGINATED BY:
CE <u>060807-003</u>	X1- _____	X2- _____	X3- _____	<u>JK</u>

CUSTOMER: B. De Vries + Son ²³⁶⁸⁷² ORDER DATE: 6/8/07MODEL: XT372 COMPLETION DATE: _____SERIAL #: 02-263 VIN #: _____PART #: XT37.4Z-V02**OPTIONS / INSTRUCTIONS:**

on work order

4" tip hose 800722-VL9489-23

Tip Light w/ remote 802883

Water + Hyd Tank Heater 803212

FGOPTION

Colors:

White 68-7902

Blue 51603

Red 49766

Stars:

Silver Metallic

A5777-M

3 1/2 - 10"

(1) ENGINEERING (Specials Only): _____ DATE

(2) PRODUCTION CONTROL: app 6/28/07 DATEaudition
Backs 6/27

Copy to: PRODUCTION (Build Order Only)
CUSTOMER SERVICE
ACCOUNTING (Original attached to Order Acknowledgment)

TRUCK

JOB #	XT20-100 XX137-2 SN # 07-263		
	customer:		
VL	BOOM MAKE UP PIPE LENGTHS		
9489	ARM		LENGTH
	A		119 1/4"
	B		46"
	B-C		
	C		47"
	C-D		
	D		38"
	E		
	PIPE TYPE (Ultra III or Normal?) ESSER.		
	TIP HOSE SIZE		
	SPECIAL ELBOWS		PART #
	Turret	A sect	801673 (29")
	A sect	B sect	
	B sect	C sect	
	C sect	D sect	
	D sect	E sect	
	DECK MAKE UP PIPE LENGTHS		
	PIPE		LENGTH
	#1		111"
	#2		111 1/4"
	#3		
	SPECIAL ELBOWS 30°		803027
	TURRET PIPE		25" x 7 1/2"
	DECK DELIVERY LINE COMPONENTS		PART #
	HOPPER ELBOW		803025
	ELBOW 6"		803024
	REDUCER		803026
	SPECIAL TURRET ELBOW 29"		
	RADIO REMOTE SERIAL NUMBER		SERIAL #
	RADIO REMOTE		735-0501779
	CABLE REMOTE		10401/05
	TRUCK		SERIAL #
			1M2KJ89C57M036571
	BOOM SIZE		SERIAL #
	XT00-100		4782
	BOOM SIZE---		SERIAL #
	PEDESTAL		
	A SECTION		20045104QA2
	B SECTION		20045104QA2
	C SECTION		20045104QA2
	D SECTION		20045104QA1
	E SECTION		

F MAST

20041803
AC463

29"

REED

13822 OAKS AVENUE
CHINO, CA 91710 USA

PHONE (909) 287-2100
FAX (909) 287-2140

MODEL

XXT37-Z4

SERIAL NO.

07-263-XXT37-Z4

MATERIAL
PRESSURE

1230

PSI

85

BAR

HYDRAULIC
PRESSURE

5075

PSI

350

BAR

ENGINE / PTO
ELECTRIC MOTOR

1600

RPM

12

VOLTS

PN 86636

PURCHASE REQUISITION



I.D.#

VENDOR: P.T.O. SALES
 ph _____
 fax _____

SHIP TO: **REED**
 13822 Oaks Avenue
 Chino, CA 91710

Requisition Date: 5 / 11 / 07

For ~~XXT-37's~~
 and
 XT-36 160's


	Taxable: Y N	Confirmed with:	Ship via:	F.O.B.:
Delivery @ REED to:	P.O.#:	Buyer:	Text Number: Standard	Date required: Below

Reed Item # / Acct. #	Qty/UM	Vendor Item # and Description	Delivery Date	Price	U/M
	<u>24</u>	DRIVE SHAFTS ONE OF EA			
		SEND TO P.T.O. SALES			
		FOR REWORK			
		TO DRAWING			
		# 803258 "FRONT"			
		# 803259 "REAR"			
		SEND WITH W-109763			
		and 803146 <u>4</u> BF EA.			
		Please call or fax approval or changes, then I will issue PO #. Thanks, Deuane 909-287-2110, fax 909-287-2142			

te: Reed Part Numbers must be on parts and paperwork

Authorized By: _____

faxed _____



REED

[illegible]

CHASSIS INSPECTION CHECK LIST

MFG TEC MODEL MR688S VIN 1M2K189C57M036511
MAC 215

DESCRIPTION	✓	DESCRIPTION	✓	DESCRIPTION	✓
A-CAB	✓	• Mirrors RH & LH	✓	F-PAINT	✓
• Lift/Tilt w/Pump	✓	• Parking Brake w/Light	✓	• Cab Ext-Mack White	✓
• Cigar Lighter	✓	• Mud Flaps-24"-Frnt Fender	✓		
• Dome Light w/SW	✓	• Radio AM-FM	✓		
• Door-Slide Type Window	✓	• Antenna-Roof Mtd.	✓	G-INFORMATION	
• Fenders-Cab	✓	• Seat-Driver Air Susp.	✓	• Manuals-Protection Plan Service	✓
• Floor Mats-Rubber	✓	• Seat-Rider Fixed	✓	• Safety Kit	✓
• Gauges	✓	• Seat Belts-Lap & Shoulder	✓		
• Dual Air Pressure	✓	• Turn Signal Switch - Manual	✓		
• Voltmeter	✓			H-MISCELLANEOUS	
• Eng. Coolant Temp.	✓			• Exterior Paint Damage	✓
• Eng. Oil Pressure	✓			• Window Damage	✓
• Fuel Level	✓			• Dents	✓
• English Display	✓	B-FRAME-FUEL TANK	✓		
• Speedometer w/Trip Odometer	✓	• Bumper Channel Type Extended 63"	✓		
• Eng. Tach w/ Hourmeter	✓	• Towing Device Frt-Pin	✓	I-DRIVE TRAIN	
• Glass-Tinted Windows	X	• Fuel Tank LH 80 Gal RD.	✓	• MACK MB209 Transmission T309 LP	✓
		<u>72H</u>		• Range selector valve tight	✓
• Glove Box	✓				
• Grab Handles - Ext.	✓				
• RH & LH Behind Door	✓	C-FRONT AXLE	✓		
• Grab Handles - Int.	✓	• Capacity 20000 lbs	✓		
• Windshield Post RH-LH	✓	• Tires Tubeless Radial	✓	J-COMMENTS	
• Instr. Panel RH	✓	• Size 425/65R 22.5 18S	✓	NO VISUAL PROBLEMS	
• Hi-Beam Indicator Light	X	• Wheels-Alum Disc 10 Hole	✓	Receipt 10/23/06	
• Horn	✓				
• Air Twin Trumpet	✓				
• Electric Single Tone	✓	D-REAR AXLE-TANDEM	✓		
• Lights	✓	• Capacity 44000 lbs	✓		
• Marker & Clearance (7)	✓	• Tires (8) 11R-22.5-14G	✓		
• Side Markers	✓	• Air Brakes	✓		
• Turn Signals-Front	✓	• Wheels-Alum Disc-10 Holes	✓		
• Headlights (2) Conv 7" RD	✓				
• Rear (2) Stop, Direct, Back up	✓	E-ELECTRICAL	✓		
• Signal Flasher Type	✓	• Back up Alarm	X		
• Interior Trim - White	✓	• Battery Box Covers	✓		
• Low Air Indicator Light & Buzz	✓	• Daytime Running Lights	✓		

Odometer Reading 27.3

Hourmeter Reading 3.5

Inspected By Pedro F. Frago

Date 10-23-06

PULLED PARTS FOR XXT37-2

UL-9489

800067	1ea - REDUCER 5" METRIC X 4" HD X	PW0031
803198	6ea - BKT 15MM BULKHEAD Fitting	1168
802091	3ea - Coupling- 2 BOLTS 148MM LVB	0557
802092	1ea - Coupling- 2 BOLTS 148MM W	0305
803027	2ea - Elbow 5" x 30°	0291
71530	1ea - Coupling- SNAP 4" HD	0303
800327	2ea - 5" 90° Elbow	WY3012
803026	1ea - REDUCER 6 TO 5" 57 5/8 Long	WY3000
803025	1ea - Elbow HOPPER OUTLET 6" HD.	WY3012
803024	1ea - Elbow REDUCER HOPPER OUTLET	WY3012
802882	2ea - RECEPTACLE	0466
802881	2ea - PLUG WITH CORD Entry	0466
802880	1ea - SPOTLIGHT REMOTE CONTROLLED	PW0065
W-108082	1ea - WATER PUMP	1057
802986	1ea - NAME PLATE SHES	0864
800461	1ea - BLACK BOX	PW0065
802990	1ea - BLACK BOX M/BKT	0241
800065	1ea - A/GREASER	0793
801312	2ea - B/LABEL BKTS	0262
801954	2ea - MARKING Lights BKT	1168
801577	2ea - C/R Pad Holders	PW-0070
800475	4ea - Fenders	
802726	4ea - Mount PLATE FENDERS	1203
1ea		
1ea		
802762	1ea - N BKT BOOM Light	BT-cell 5
803258	1ea - FRONT Drive SHAFT	BT-cell 5
803259	1ea - RAIL " "	" "
802608	4ea - D-Rings	0593

XXT-37-Z

Deories

UL-9489

Must be done

0 - ~~FEARED BOOM BOLTS & Put plastic on~~

1 - ~~Bolt up fuel tank~~

2 - ~~Weld water box to sub frame~~

3 - ~~Weld 1" x 1" hangers~~

4 - ~~Change water pump~~

5 - ~~Install water to CH tank~~

6 - ~~fix clutch switch bracket~~

7 - ~~Install battery charger for HBC radio~~

8 - ~~Remove brackets in front of rotation stop~~

9 - ~~Build tank heater pipes~~

10 - ~~Get correct label for Radio for Z Boom~~

11 - ~~Fix LEAKPROOF EASE~~

12 - ~~Relocated SPOTLIGHT BKT~~

13 - ~~Shorted up "D" Section Rest~~

14 - ~~Relocated Hanger for TIP house~~

15 - ~~Relocated Rear O/R Arm stops~~

16 - ~~Mud FLAP~~

17 - ~~Tool boxes~~

18 - ~~Rotation Limited Switch~~

19 - ~~Boom down limited Switch~~

20 - ~~INSTALL WATER~~

21 - ~~INSTALL AIR TANK~~

22 - ~~7/15 THS~~

23 - ~~M/15 THS~~

24 - ~~Boom lights~~

25 - ~~S/T H COVER~~

26 - ~~INSTALL B/O covers~~

27 - ~~CON of TIP house
18" off~~

28 - ~~INSTALL w/house~~

29 - ~~BOOM T/DOOR~~

30 - ~~O/PADS~~

31 - ~~INSTALL Fire/S~~

7/17/2007

B. DEVRIES AND SONS CONCRETE PUMPING

MODEL: XXT37.4Z

SN 07-263

MFD. BY: REED LLC

DATE OF MFR: MO. 07 YR. 2007

INC. VEH. MFD. BY: _____

MACK

DATE OF INC. VEH. MFR:

MO. 09 YR. 2006

GVWR:

29,090 KG (64,000 LB)

GAWR-FRONT:

9,090 KG (20,000 LB)

GAWR-REAR:

20,000 KG (44,000 LB)

CONFORMITY OF THE CHASSIS-CAB TO U.S.A. FEDERAL MOTOR VEHICLE SAFETY STANDARDS, WHICH HAVE BEEN PREVIOUSLY FULLY CERTIFIED BY THE INCOMPLETE VEHICLE MANUFACTURER OR BY THE INTERMEDIATE VEHICLE MANUFACTURER, HAS NOT BEEN AFFECTED BY THE FINAL-STAGE MANUFACTURE. THE VEHICLE HAS BEEN COMPLETED IN ACCORDANCE WITH PRIOR MANUFACTURER'S INSTRUCTIONS, WHERE APPLICABLE. THIS VEHICLE CONFORMS TO ALL OTHER APPLICABLE U.S.A. FEDERAL MOTOR VEHICLE SAFETY STANDARDS IN EFFECT IN:

MO. 07 YR. 2007

VEHICLE IDENTIFICATION NUMBER:

1M2K189C57M036511

VEHICLE TYPE:

TRUCK

SUITABLE TIRE-RIM CHOICE

FRONT: 425/65R22.5L TIRES,

22.5X12.25 RIMS, @ 827 KPA,

(120 PSI) COLD SINGLE

INTERMEDIATE (1):

11R22.5 G TIRES,

22.5X8.25 RIMS, @ 724 KPA,

(105 PSI) COLD DUAL

INTERMEDIATE (2):

_____ TIRES,

_____ RIMS, @ _____ KPA,

(_____ PSI) COLD _____

REAR: 11R22.5 G TIRES,

22.5X8.25 RIMS, @ 724 KPA,

(105 PSI) COLD DUAL